

L Number	Hits	Search Text	DB	Time stamp
-	1	"20020019679"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15:05
-	4	work adj standard adj creation	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 14:17
-	163941	manufactur\$3 adj process	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 14:18
-	7	(manufactur\$3 adj process) with (work adj unit)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 14:20
-	5	(manufactur\$3 adj process) with (work adj standard)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 14:23
-	18	(manufactur\$3 adj process) and (work adj standard)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 14:30
-	1	"5969973".PN.	USPAT; US-PGPUB	2003/06/03 14:26
-	1	"5642291".PN.	USPAT; US-PGPUB	2003/06/03 14:27
-	1	"5586224".PN.	USPAT; US-PGPUB	2003/06/03 14:28
-	1	"5519814".PN.	USPAT; US-PGPUB	2003/06/03 14:28
-	1	"5006999".PN.	USPAT; US-PGPUB	2003/06/03 14:28
-	1	"5345540".PN.	USPAT; US-PGPUB	2003/06/03 14:28
-	7	work adj assignment adj system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 14:38
-	26	(assembly adj process) and (work adj (unit standard))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 14:40
-	155	704/4.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 08:37
-	29	704/4.ccls. and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 12:16
-	41	(704/7.ccls.) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:20
-	53	(704/8.ccls.) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15:06
-	1	("6314469").PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 08:57
-	121	345/705.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:00
-	21	345/705.ccls. and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 08:57

-	10	345/714.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:03
-	54	provid\$3 adj instruction\$3 adj information	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:15
-	6	(work adj standard) and (assembly adj process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:16
-	24	(work adj unit) and (assembly adj process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:19
-	53	(work adj unit) and (manufactur\$3 adj process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:22
-	11	((work adj unit) and (manufactur\$3 adj process)) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:20
-	18	(work adj standard) and (manufactur\$3 adj process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:26
-	164253	(manufactur\$3 adj process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:04
-	10432	((manufactur\$3 adj process)) and translat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:33
-	22	((manufactur\$3 adj process)) and translat\$3 and (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:54
-	851	assembly adj instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:26
-	142	(assembly adj instruction) and (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:56
-	81	((assembly adj instruction) and (database or (data adj base))) and language	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:56
-	31	((assembly adj instruction) and (database or (data adj base))) and language) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:56
-	6	product adj assembly adj instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:25
-	2	(assembly adj instruction) and (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:27
-	2	(assembly adj instruction) and (foreign\$3 adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:27
-	2	(assembly adj instruction) and (multiple adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:28
-	307	700/95.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:28

-	177	700/95.icls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:28
-	43	700/95.ccls. and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:38
-	2	"6240328"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 12:01
-	1	"5341304".PN.	USPAT; US-PGPUB	2003/06/05 11:41
-	1	"5241482".PN.	USPAT; US-PGPUB	2003/06/05 11:41
-	1	"5148370".PN.	USPAT; US-PGPUB	2003/06/05 11:41
-	1	"5089970".PN.	USPAT; US-PGPUB	2003/06/05 11:43
-	1	"5014208".PN.	USPAT; US-PGPUB	2003/06/05 11:43
-	1	"4887218".PN.	USPAT; US-PGPUB	2003/06/05 11:44
-	2	08/038,577	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 12:08
-	14	"5586039"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:32
-	1	5880974.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:32
-	27028	part with component with system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:35
-	10444	(part with component with system) and assembly	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:35
-	52	(part with component with system) and (assembly adj instruction)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:37
-	28	((part with component with system) and (assembly adj instruction)) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:39
-	641	(part with component with system) and (assembly with product)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:38
-	0	((part with component with system) and (assembly with product)) and traslat\$3 and language	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:38
-	81	((part with component with system) and (assembly with product)) and traslat\$3 and language	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:38
-	24	((part with component with system) and (assembly with product)) and traslat\$3 and language) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:53
-	1	"20020052890"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:55
-	100	(display\$3 with toolbar) with (cursor pointer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14:11

-	1	open adj2 new adj window adj2 minimized	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14:13
-	2	(open adj2 new adj window) with minimized	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14:16
-	1	google adj toolbar	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14:22
-	3	(html and navigation).ti.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14:23
-	8	(open adj window) adj5 minimized	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14:31
-	22	mouseover and (hyperlink)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14:31
-	66	mouseover	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14:47
-	17	mouseover and @rlad<="20000504"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 15:39
-	111	mouseover or onmouseover	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14:47
-	28	(mouseover or onmouseover) and @rlad<="20000504"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 15:35
-	48	anchor adj page	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 15:39
-	15	(anchor adj page) and @rlad<="20000504"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 15:39
-	740	assembly adj manual	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09:30
-	0	(assembly adj manual) and dictionary and translat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09:31
-	88	(assembly adj manual) and translat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09:31
-	23	((assembly adj manual) and translat\$3) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09:38
-	516	part and component and system and (assembl\$3 adj instruction)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09:38
-	1	(part and component and system and (assembl\$3 adj instruction) ) and (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09:37
-	4	assembly adj instruction adj system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09:50

-	176	(part and component and system and (assembly adj instruction) ) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 53
-	0	multimedia with (assembly adj instruction)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 51
-	7	multimedia same (assembly adj instruction)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 52
-	38	multimedia and (assembly adj instruction)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 54
-	18	(multimedia and (assembly adj instruction)) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 54
-	528	work adj standard	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 54
-	0	(work adj standard) and (assembly adj instruction)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 54
-	153	(work adj standard) and assembly	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 54
-	45	((work adj standard) and assembly) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 10: 50
-	1	(assembly adj planning adj process) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 10: 51
-	15	(assembly adj planning ) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 10: 56
-	10	"5442563"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 10: 56
-	16	((US-5023800-\$ or US-6240328-\$ or US-6292715-\$ or US-5396432-\$ or US-6167406-\$ or US-5442563-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$).did. or (US-20020002516-\$ or US-20020123812-\$ or US-20020174263-\$ or US-20030011629-\$ or US-20010043237-\$ or US-20030023611-\$).did.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 11: 57
-	2	((US-5023800-\$ or US-6240328-\$ or US-6292715-\$ or US-5396432-\$ or US-6167406-\$ or US-5442563-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$).did. or (US-20020002516-\$ or US-20020123812-\$ or US-20020174263-\$ or US-20030011629-\$ or US-20010043237-\$ or US-20030023611-\$).did.) and voice	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 11: 58
-	5	((US-5023800-\$ or US-6240328-\$ or US-6292715-\$ or US-5396432-\$ or US-6167406-\$ or US-5442563-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$).did. or (US-20020002516-\$ or US-20020123812-\$ or US-20020174263-\$ or US-20030011629-\$ or US-20010043237-\$ or US-20030023611-\$).did.) and (sound audio)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 12: 11
-	4	assembly adj standard adj information	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 12: 12
-	1180	assembly adj standard	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 12: 13
-	9	(assembly adj standard) and (assembly adj (manual instruction))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 12: 15

-	1	(assembly adj (instruction manual)) and (translat\$3) and (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 12: 19
-	5	(assembly adj (process)) and (translat\$3) and (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 12: 20
-	1623	assembly adj sequenc\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 01
-	164491	(manufactur\$3 adj process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 05
-	138	(assembly adj sequenc\$3) and ( (manufactur\$3 adj process))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 05
-	1	13. and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 59
-	41	((assembly adj sequenc\$3) and ( (manufactur\$3 adj process))) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 05
-	16	(US-5023800-\$ or US-6240328-\$ or US-6292715-\$ or US-5396432-\$ or US-6167406-\$ or US-5442563-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$).did. or (US-20020002516-\$ or US-20020123812-\$ or US-20020174263-\$ or US-20030011629-\$ or US-20010043237-\$ or US-20030023611-\$).did.	USPAT; US-PGPUB	2003/06/10 10: 08
-	11	((US-5023800-\$ or US-6240328-\$ or US-6292715-\$ or US-5396432-\$ or US-6167406-\$ or US-5442563-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$).did. or (US-20020002516-\$ or US-20020123812-\$ or US-20020174263-\$ or US-20030011629-\$ or US-20010043237-\$ or US-20030023611-\$).did.) and first and second and third	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 08
-	1	6240328.URPN.	USPAT	2003/06/10 10: 10
-	8	("4887218" "4896269" "5014208" "5088045" "5089970" "5148370" "5241482" "5341304").PN.	USPAT	2003/06/10 10: 11
-	1561	maintenance adj program	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 41
-	443	(maintenance adj program) and assembly	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 41
-	112	((maintenance adj program) and assembly) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 43
-	8311	assembly adj work	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 44
-	668	(assembly adj work) and model	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 44
-	394	((assembly adj work) and model) and manufactur\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 44
-	11	((assembly adj work) and model) and manufactur\$3) and hierarchical	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 59
-	3	5771043.URPN.	USPAT	2003/06/10 10: 54
-	3	5771043.URPN.	USPAT	2003/06/10 10: 58
-	122	345/705.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10: 59

-	22	345/705.ccls. and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 11:08
-	52	(product adj assembl\$3).ti.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 11:08
-	2	((product adj assembl\$3).ti.) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 11:08
-	0	(user adj manual) with (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15:06
-	55	(user adj manual) and (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15:06
-	19	((user adj manual) and (foreign adj language)) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15:29
-	123	manufacturing adj aids	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15:28
-	30	(manufacturing adj aids) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 16:23
-	1	4845634.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 16:23
-	21	((US-6167406-\$ or US-5396432-\$ or US-5442563-\$ or US-5023800-\$ or US-6292715-\$ or US-6240328-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$ or US-5109337-\$ or US-5771043-\$ or US-6392670-\$ or US-6163785-\$ or US-6208956-\$).did. or (US-20020002516-\$ or US-20030011629-\$ or US-20020174263-\$ or US-20020123812-\$ or US-20010043237-\$ or US-20030023611-\$).did.	USPAT; US-PGPUB	2003/06/12 11:03
-	5	((US-6167406-\$ or US-5396432-\$ or US-5442563-\$ or US-5023800-\$ or US-6292715-\$ or US-6240328-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$ or US-5109337-\$ or US-5771043-\$ or US-6392670-\$ or US-6163785-\$ or US-6208956-\$).did. or (US-20020002516-\$ or US-20030011629-\$ or US-20020174263-\$ or US-20020123812-\$ or US-20010043237-\$ or US-20030023611-\$).did.) and voice	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 12:11
-	10	((US-6167406-\$ or US-5396432-\$ or US-5442563-\$ or US-5023800-\$ or US-6292715-\$ or US-6240328-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$ or US-5109337-\$ or US-5771043-\$ or US-6392670-\$ or US-6163785-\$ or US-6208956-\$).did. or (US-20020002516-\$ or US-20030011629-\$ or US-20020174263-\$ or US-20020123812-\$ or US-20010043237-\$ or US-20030023611-\$).did.) and translat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 12:15
-	0	multilingual adj document	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 12:15
-	40	multilingual adj document	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 12:15
-	7	(multilingual adj document) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 12:16